



CONTENTS

WELCOME TO SOTA	3
BEFORE USING	3
LEARN MORE	3
COMPLETE UNIT INCLUDES.....	3
DO NOT USE.....	4
MICROPULSING CAUTIONS	4
IONIC~COLLOIDAL SILVER CAUTIONS.....	5
GENERAL CAUTION.....	5
SUMMARY OF LIGHTS	5
ATTACHING THE RUBBER PROBES	6
HOW TO USE THE MICROPULSING FUNCTION	6
How Micropulsing Should Feel	9
Sensitive Skin	10
Typical Use	10
HOW TO USE THE IONIC~COLLOIDAL SILVER FUNCTION	10
How to Assemble	10
How to Make Ionic~Colloidal Silver.....	11
Typical Use.....	12
ELECTRICAL SPECIFICATIONS	13
Power Requirements.....	13



Optional Power Input..... 13

Output Specifications..... 13

TROUBLESHOOTING..... 14

COUNTRIES THAT PARTICIPATE IN MANUFACTURING..... 14

REPLACEMENT ACCESSORIES..... 14

WARRANTY..... 14

REPAIRS..... 14

WELCOME TO SOTA

Thank you for allowing us to be a part of your Wellness Team.

The Silver Pulser is a consumer product designed to be used as part of a Wellness Lifestyle. A commitment to healthy lifestyle choices is an important factor in the journey to Wellness.

The SOTA Silver Pulser has two functions – Micropulsing and making Ionic~Colloidal Silver. Micropulsing offers gentle microcurrents that work with the body's natural electricity for more energy, general health and well-being. Ionic~Colloidal Silver is one of nature's gifts and can be made easily and inexpensively at home.

The Silver Pulser is designed to be used independently, but can also be used together with any of the SOTA Products.

With proper care, your Silver Pulser should provide you many years of trouble-free use. Please understand that results will vary.

BEFORE USING

Please read the manual thoroughly before using your Silver Pulser. For the most up-to-date manual, please visit our website www.sota.com/manuals.

We've made every effort to ensure the information in your manual is up-to-date at the time of printing ... since that time however, new information may have become available.

LEARN MORE


To learn more about the Silver Pulser we invite you to visit the SOTA website:

www.sota.com

The website offers Videos, Frequently Asked Questions, *The SOTA Products User Guide*, SOTA News ... and more.

COMPLETE UNIT INCLUDES

- One (1) Silver Pulser Unit
- One (1) 9-Volt Alkaline Battery
- One (1) Product Manual



FOR MICROPULSING APPLICATION

- Six (6) Pair Cotton Sleeves with Velcro®
- One (1) Arm Band with Clip
- One (1) Neoprene® Velcro® Wrist Strap
- One (1) Dark Glass Dropper Bottle

RUBBER PROBE OPTION

- One (1) Micropulsing Cord for Rubber Probes
- One (1) Pair Conductive Rubber Probes

SILVER PROBE OPTION

- One (1) Micropulsing Cord with Silver Probes

FOR MAKING IONIC~COLLOIDAL SILVER

- One (1) Silver Wire Holder
- Two (2) Silver Wires of .9999 (4 Nine) Purity
- One (1) Green Scrub Pad

DO NOT USE

1. Do not use in the following situations as safety has not been explored using the Micropulsing function:
 - a. In the case of pregnancy.
 - b. With an active implanted device such as a pacemaker, etc.
2. As with all electrical products do not use near water, when driving a car or when operating heavy equipment.

MICROPULSING CAUTIONS

1. Do not place the Micropulsing Probes over skin lesions, abrasions, new scars, cuts, eruptions or sunburn.
2. Discontinue use if the Micropulsing suddenly feels different or prickly **and** the YELLOW light stops flashing. Turn the unit OFF and contact SOTA.
3. Caution is advised if using potentially harmful substances such as recreational and prescription drugs, as it is not known if microcurrents will interact or if individual reactions may occur.

4. Caution is required in the following situations as a burn may occur, which could scar:
- a. Do not apply the bare metal pins to the skin.
 - e. Do not allow the Cotton Sleeves to dry out while Micropulsing.
 - f. Do not Micropulse while sleeping, as the Cotton Sleeves may dry out.

IONIC~COLLOIDAL SILVER CAUTIONS

We recommend taking occasional breaks from consuming Ionic~Colloidal Silver for the following reason:

A handful of people have experienced argyria after drinking large amounts of Ionic~Colloidal Silver daily, over a long period of time. Argyria is a bluish tinge of the skin. This occurs when excess silver is eliminated through the skin and exposed to light. Darkening of the moons of the finger nails is usually an early sign.

The risk of argyria is considered greater for those who are ingesting incorrectly made Ionic~Colloidal Silver and to a lesser degree, those who are deficient in selenium or vitamin E.

When making and drinking Ionic~Colloidal Silver as currently recommended by SOTA, the risk of argyria is extremely rare.

GENERAL CAUTION

While this technology is generally considered safe, there exists potential for rare individual reactions that cannot reasonably be foreseen. Therefore, your use of the SOTA Products constitutes your agreement that you are responsible for your decision to use the technology and that you hold SOTA harmless for any injuries or damage believed to arise from using the SOTA Products.

SUMMARY OF LIGHTS

GREEN: Indicates the unit is ON.

RED: Indicates the battery is low and will soon need replacing.

YELLOW: Indicates the Micropulsing function is in operation.


ORANGE: Indicates the Ionic~Colloidal Silver function is in operation.

ATTACHING THE RUBBER PROBES

1. With the Rubber Probes Option:

Attach the Conductive Rubber Probes to the Micropulsing Cord by gently sliding the Rubber Probes over the metal pins on the Micropulsing Cord, as in image 1.


Note: Except to occasionally clean them, the Rubber Probes can stay on the Micropulsing Cord between uses.



HOW TO USE THE MICROPULSING FUNCTION

1. Place the 9-Volt Alkaline battery in the unit.

- On the back of the unit, slide off the battery cover.
- Position the 9-Volt Alkaline battery so the positive (+) and negative (-) terminals line up as in image 2. Note: The smaller circle on the battery matches the smaller circle in the case ... the larger battery circle matches the larger circle in the case.



- Slide the 9-Volt Alkaline battery into the case and push down. Slide the cover back onto the unit.



2. Clean the wrist area to remove oils from the skin. This will allow for better conductivity.

3. Insert the Micropulsing Cord into the jack on the unit as shown in image 3. The indented square on the DIN plug should be facing up. When the plug is positioned correctly, it will slide in gently. Do not force.

4. Slide the clip on the back of the Silver Pulser into the holding clip on the Arm Band as in image 4 on page 7.

5. Slide the Arm Band, with the unit and cord, up the arm to a comfortable position. Tighten the band to secure it in place as in image 5.



Options:

- a. If preferred the unit can be placed in a pocket. A longer Micropulsing Cord is needed for this option.
- b. If the Arm Band is too large a shorter Arm Band is available.

6. Put the Wrist Strap on with the Velcro® side of the Wrist Strap face-out rather than towards the skin.
7. Prepare one pair of Cotton Sleeves. Each Cotton Sleeve is sewn on three sides; to find the open end of the Cotton Sleeve, squeeze the long sides of the sleeve and the unsewn end will pop open.


8. Attach one Cotton Sleeve to the Wrist Strap in line with the pulse point on the thumb side of the wrist. The open end of the Cotton Sleeve will point down toward the elbow. Press the sleeve to the Wrist Strap to firmly adhere the sleeve in place.

9. Place the other Cotton Sleeve, again with the open side towards the elbow, in line with the pulse point on the little finger side of the wrist. This pulse point is usually harder to feel. It is located in the soft hollow on the wrist, in line with the little finger. Press the sleeve to the Wrist Strap to firmly adhere the sleeve in place. See image 6.



Once in place, the Velcro® will hold the Cotton Sleeves in the right position for repeated use.

10. Take the Wrist Strap off.
11. Insert one probe from the Micropulsing Cord into each of the Cotton Sleeves. Use a gentle twisting motion to work the robes into the Cotton Sleeves.
12. Wet the Cotton Sleeves with water.
13. Put the Wrist Strap on so the damp Cotton Sleeves are against the skin over the pulse points. See image 7 on page 8.
14. Turn the unit ON by rotating the ON/OFF switch clockwise. Turn the switch slowly until you feel the current. If



7

you do not feel the current, see Notes on page 8.

- a. The GREEN light indicates the unit is ON. If the light does not come on, the battery may not be placed correctly.
- o. The flashing YELLOW light should come on and get brighter as the intensity is turned up. If the flashing YELLOW light does not come on, the electrical path has not been established. See Troubleshooting on page 14.

15. When finished, turn the unit OFF by rotating the ON/OFF switch counter clockwise until it clicks. Do not force the ON/OFF switch past its natural stopping point.

16. Unplug the Micropulsing Cord. Do not store the unit with the Micropulsing Cord plugged in as this can damage the Cord.

17. The Cotton Sleeves will remain correctly positioned for the next session.

18. Clean the wrist and apply a healing lotion to avoid irritation.


Notes:

Suggestions for Feeling the Current: If the current is not felt with wet Cotton Sleeves, prepare a mild salt solution to wet the sleeves. Add a few grains of salt to the water in the 50 ml dropper bottle.

Drink enough water to keep the body well hydrated. Hydration can affect the ability to feel the current.

Care of Micropulsing Cord and Rubber Probes: Remove the Rubber Probes occasionally to clean in a mild soap solution. Rinse thoroughly. If necessary, gently wipe the metal pins of the Micropulsing Cord.

Care of Micropulsing Cord with Silver Probes: Discoloration of probes is normal. Buff occasionally to remove stains to ensure good electrical contact.



8

Care of Cotton Sleeves: Wash or rinse sleeves occasionally. Periodically discard and replace Cotton Sleeves.

Alternatives to Cotton Sleeves:

- a. Sponge Sleeves: available from SOTA.
- b. All Cotton Sleeves: SOTA offers Cotton Sleeves without Velcro®.
- c. Unbleached Paper Towel: Cut a small square of paper towel large enough to wrap around the probe 2 or 3 times.
- d. Cotton Flannel: Cut a small square of cotton flannel and wrap around the probe. Secure it in place with thread.

Rubber Probes: Over time, the Rubber Probes will lose their conductivity and need replacing. Refer to the SP5 Troubleshooting Guide for instructions on how to test the Rubber Probes.

Low Battery Warning: The RED light comes ON when the battery is low. This means the battery will soon need to be replaced. The battery can continue to be used until the YELLOW light goes off.

Power Supply: When Micropulsing, as a safety feature, the unit can only be powered by a 9-Volt battery.

Replacement Batteries: When purchasing replacement 9-Volt batteries, take the Silver Pulser with you to ensure a proper fit, as 9-Volt batteries vary in size. Alkaline or rechargeable batteries are recommended.

HOW MICROPULSING SHOULD FEEL

1. The sensation is a gentle pulsing. While the microcurrents should be felt, it is not necessary to turn the intensity control up to an uncomfortable level.
2. With repeated use, the ability to feel the microcurrents may change. It may be necessary to increase the intensity in order to feel the microcurrents.
3. Twitching of the fingers is normal at a higher intensity.
4. During the first weeks of use, the skin may become irritated. Over time, irritation usually decreases or disappears. Alternate wrists each session to minimize the potential for irritation.

SENSITIVE SKIN

Some individuals may be particularly sensitive to microcurrents and the irritation may continue. To minimize irritation:

1. Use Sponge Sleeves - available from SOTA.
2. Wash wrists thoroughly after each session and apply a healing gel or lotion such as aloe vera, vitamin E or MSM cream.
3. Micropulse for shorter periods of time until the irritation disappears.
4. Wet the Cotton Sleeves with distilled water, Ionic~Colloidal Silver or conductive gel. If unable to feel the current, try a commercial saline solution for the eyes. This is gentler than adding salt to the water.

TYPICAL USE

Alternate wrists daily.

Length of Session: Build up time gradually. It is best to start slowly. Start with 10 to 20 minutes a day. Increase gradually to a minimum of 2 hours each day.

Length of Use: The SOTA Products User Guide available at www.sota.com/spug offers suggestions for Focused, Basic and Ongoing Wellness Plans.

General Guideline: Use daily for a minimum of 8 to 12 weeks. Once completed, setting a schedule for ongoing use is beneficial.

Drink Plenty of Water: It's important to drink enough water when using the unit. Drinking ozonated water is especially helpful.

Stop Gradually: Reduce the amount of time each day for the last week of use. If using more than one SOTA unit, it is suggested to stop only one unit at a time.

HOW TO USE THE IONIC~COLLOIDAL SILVER FUNCTION

HOW TO ASSEMBLE

1. The Silver Wires fit into the two small holes in the Silver Wire Holder as in image 1 on page 11.
2. To insert the Silver Wires, move the spring clip away from the hole.
3. Push the wire through the hole. Most of the wire should be below the holder. Release the spring clip to hold the Silver Wire snugly in place. It may be easier to insert

from the underside of the holder.

4. Repeat Step 2 for the second Silver Wire.
5. Plug the Silver Wire Holder into the Silver Pulser.

HOW TO MAKE IONIC~COLLOIDAL SILVER

The Silver Pulser provides a constant current output, which allows for a very simple procedure for making a high quality Ionic~Colloidal Silver using room temperature water.



1. Pour two cups (16 ounces or 500 ml) of room temperature distilled water into a tall glass container. Do not use a metal or plastic container.
2. Place the Silver Wire Holder on the glass container immersing at least 70% of the Silver Wires into the water. Keep them at least 25 mm or 1 inch from the bottom of the container. See image 2.
3. Turn the unit ON by rotating the ON/OFF switch clockwise until it clicks. It is not necessary to turn up the intensity.

The ORANGE light will brighten as the current increases up to the 1.0 mA limit.

4. Stir occasionally with a non-metal utensil. Occasionally, wipe off the grey or black silver oxide that builds up on the Silver Wires.
5. Two cups (16 ounces or 500 ml) for 2 hours will produce a 5 to 8 ppm batch of Ionic~Colloidal Silver, depending on the brand of distilled water. The concentration of silver is measured in parts per million or ppm.
6. When finished, wipe the Silver Wires with paper towel to remove residue. Buff lightly when needed to keep them free of sediment. Excessive buffing will wear away the silver faster.

Notes:

Color: Ionic~Colloidal Silver remains colorless to



about 5 or 6 ppm. At a slightly higher ppm it will be a pale gold color. Do not drink if it is darker than pale gold or if it is dark grey as this indicates a higher level of impurities or larger particle sizes.

Clarity: The silver electrolyte should be clear. Do not drink if it is cloudy.

To Make Larger Quantities: The Silver Pulser can be used to make larger quantities of Ionic~Colloidal Silver. For a concentration between 5 to 8 ppm, use the following times as a guide:

For 4 cups or 1 liter: 3 to 4 hours.

For 1 gallon (16 cups) or 4 liters: 10 to 12 hours.

Tip for Self-Stirring: Use boiling hot water to make the Ionic~Colloidal Silver.

Storage: Pour the Ionic~Colloidal Silver into a dark glass bottle – never metal – and store in a dark, dry place. Over time, light will degrade Ionic~Colloidal Silver by turning the electrolyte grey or black. Discard if this occurs.

When made and stored properly, Ionic~Colloidal Silver retains freshness for many weeks. It is suggested, however, that you use as soon as possible. If settling occurs, it is losing potency. Do not drink any sediment.

Do not freeze, refrigerate, or expose Ionic~Colloidal Silver to extremes of temperatures as its potency may be affected.

Save on Batteries: When making Ionic~Colloidal Silver the unit can be powered by an AC-DC wall adaptor. See 'Optional Power Input' on page 13.

Switch Silver Wire Positions: The silver ions only come off the wire in the positive (+) or anode terminal into the water. To equalize the wearing of the Silver Wires, periodically exchange the position of the wires. If left in the same position, only one Silver Wire will gradually wear away.

Replacing the Silver Wires: The Silver Wires are of the highest grade .9999 or 99.99% or 4 Nine pure fine silver. When the SOTA pure Silver Wires wear too thin, do not replace with sterling silver, as it contains nickel, which can be toxic.

TYPICAL USE

Quantity: There is no definite amount to drink. When consumed on a regular basis – daily or several times a week – it is best to drink no more than 1 to 2 ounces (30 to 60 ml) at a time.

Larger amounts of Ionic~Colloidal Silver – 1 cup or more – can be consumed for short periods of time, for example, a few weeks. It is better to take smaller amounts throughout the day rather than all at once.

Length of Use: The SOTA Products User Guide available at www.sota.com/spug offers suggestions for Focused, Basic and Ongoing Wellness Plans.

General Guideline: 1 to 2 ounces (30 to 60 ml) or more daily for 2 or 3 months. Ionic~Colloidal Silver can be used as needed. The initial program can be repeated at any time. If using for an extended period, it is wise to take breaks.

Strength: Laboratory testing indicates Ionic~Colloidal Silver is effective as low as 2 ppm. When ingesting on a regular basis, it is suggested to limit the strength to less than 10 ppm.

ELECTRICAL SPECIFICATIONS

POWER REQUIREMENTS

Use a 9-Volt Alkaline battery for optimal operation.

OPTIONAL POWER INPUT

Both functions of the Silver Pulser can also be operated using NiMH rechargeable batteries. When purchasing rechargeable batteries, it is suggested to take the unit with you to ensure the batteries will fit the enclosure.

To use a Wall Adaptor for making Ionic~Colloidal Silver the output should be from 6 to 12 Volts DC with a **Tip or Center Positive** pin and a minimum of 500 mA (milliamperes) of current. The Wall Adaptor that comes with other SOTA units can be used for making Ionic~Colloidal Silver.

Caution: Exceeding the voltage rating or reverse connection may result in injury or unit failure. This will **void** the warranty.

To operate the Ionic~Colloidal Silver Function from a 12 Volt DC source, such as an automobile battery or an appropriate Solar Panel, purchase a Universal Power Cord with **Tip or Center Positive**.

OUTPUT SPECIFICATIONS

The output voltage is a nominal 31 Volts.

Micropulsing Application: Frequency through the metal pins or probes is ~3.92 Hz

or ½ of the Earth Schumann frequency of 7.83 Hz, (+/- 1 Hz) with a Bi-Phasic Square Wave @ 31 Volts (+/- 1 Volt) peak per cycle.

Maximum current through the metal pins or probes is ~8 milliamperes into 1,000 ohms, ~12 milliamperes into a short circuit at 31 Volts peak per cycle.

Ionic~Colloidal Silver Application: The maximum current through the Silver Wires is 1.0 milliamperes (+/- 0.5 mA) at 31 VDC compliance voltage when the Silver Wires are touched together to short the circuit.

TROUBLESHOOTING

Troubleshooting Guides for both the Micropulsing and Ionic~Colloidal Silver functions of the Silver Pulser are available at www.sota.com/manuals. These Guides are a great tool to check if you are experiencing any issues with your unit.

COUNTRIES THAT PARTICIPATE IN MANUFACTURING

The manufacturing of the SOTA Products is a global collaboration. The following countries have participated in the making of the Silver Pulser (listed in alphabetical order): **Canada, China, Hong Kong, Malaysia, Mexico, South Korea, Taiwan and the USA.**

REPLACEMENT ACCESSORIES

To replace your accessories, please contact your supplier.

WARRANTY

The Silver Pulser Model SP5 is covered by a three (3) year parts and labor warranty on all internally mounted components. Please keep proof of purchase. Warranty is void if the failure is due to abuse or negligence.

REPAIRS

Please contact your supplier for return instructions. For information about your closest repair depot, contact repairs@sota.com or call Toll-Free: 1.800.224.0242 (Canada & USA) or 1.250.770.2023.



Made in China. Designed and Engineered in Canada.

• The SOTA units are consumer products designed to be used as part of a Wellness Lifestyle • The SOTA units are not medical devices nor are they intended to diagnose, treat or cure any medical or health condition • The use, safety or effectiveness of the SOTA units has not been approved by any government agency • Please consult a health practitioner for any medical or health condition • Results using the SOTA Products will vary for each person • Please note that all purchases of SOTA Products are deemed to be made in Penticton, BC, Canada •